

L Number	Hits	Search Text	DB	Time stamp
1	3507	((compar\$3 or match\$3) with (color near4 (information or reference or measurement)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:10
2	11	((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))) and server	USPAT; EPO; JPO	2003/10/02 14:04
3	1	((compar\$3 or match\$3) with (color near4 (information or reference or measurement))) and (((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))) and server)	USPAT; EPO; JPO	2003/10/02 14:04
5	1	((compar\$3 or match\$3) with (color near4 (information or reference or measurement))) and (((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))) and server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:06
4	21	((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:06
6	91	((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:06
7	6	((compar\$3 or match\$3) with (color near4 (information or reference or measurement))) and (((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:06
8	2225	(computer or PC or workstation) with (color near4 (information or measurement or reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:19
10	0	((compar\$3 or match\$3) with (color near4 (information or reference or measurement))) and ((computer or PC or workstation) with (color near4 (information or measurement or reference))) and (((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:11
9	408	((compar\$3 or match\$3) with (color near4 (information or reference or measurement))) and ((computer or PC or workstation) with (color near4 (information or measurement or reference)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:12

11	382	(computer or PC or workstation) with (generat\$3 or creat\$3) with (color near4 (information or measurement or reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:20
12	3	((computer or PC or workstation) with (generat\$3 or creat\$3) with (color near4 (information or measurement or reference))) and (((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:20
-	3	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) same (color near3 information) same (calibrat\$3 near4 printer)	USPAT; EPO; JPO	2003/02/04 09:31
-	0	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) same (color near3 information) same (calibrat\$3 near4 printer) same network	USPAT; EPO; JPO	2003/02/03 09:53
-	0	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) same (color near3 information) same (calibrat\$3 near4 printer) same (network or server)	USPAT; EPO; JPO	2003/02/03 09:54
-	0	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) with (color near3 information) same (calibrat\$3 near4 printer) same (network or server)	USPAT; EPO; JPO	2003/02/03 09:54
-	0	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) with (color near3 information) same (calibrat\$3 near4 printer) and (network or server)	USPAT; EPO; JPO	2003/02/03 09:54
-	0	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) with (color near3 information) same (calibrat\$3 near4 printer) and (network or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 09:55
-	35	(spectrophotometer or colorimeter or densimeter or scanner or (color near2 scanner)) same color same (calibrat\$3 near4 printer) and (network or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/03 10:33
-	0	20020113984.URPN.	USPAT	2003/02/03 09:56
-	295	358/504.ccls.	USPAT	2003/02/03 10:44
-	50	358/504.ccls. and (color same (calibrat\$3 with printer))	USPAT	2003/02/03 10:52
-	465	358/406.ccls.	USPAT	2003/02/03 10:53

-	19	358/406.ccls. and (color same (calibrat\$3 with printer))	USPAT	2003/02/03 10:54
-	532	358/1.18.ccls.	USPAT	2003/02/10 09:17
-	0	358/1.18.ccls. and (color same (calibrat\$3 with printer))	USPAT	2003/02/03 10:55
-	753	358/1.16.ccls.	USPAT	2003/02/03 10:55
-	2	358/1.16.ccls. and (color same (calibrat\$3 with printer))	USPAT	2003/02/03 12:22

-	49	("5018078" "5832301" "6064427" "6094276" "6210327" "6210327" "5218460" "5247372" "5278950" "5333246" "5493408" "5511156" "5528361" "5550956" "5579087" "5602936" "5655062" "5689625" "5720015" "5738014" "5740028" "5764235" "5778183" "5793974" "5815764" "5819040" "5859956" "5923826" "5926188" "5930465" "5933584" "5936743" "5946461" "5946458" "5946456" "5974234" "5978620" "5982994" "5996029" "6011905" "6018816" "6020973" "6023478" "6040920" "6043904" "6052198" "6076068" "6078406" "6101526" "6130760").pn.	USPAT	2003/02/03 12:23
-	69	(calibrat\$3 near6 printer) same ((image or print) adj4 data)	USPAT; EPO; JPO	2003/02/04 09:41

-	3	(calibrat\$3 near6 printer) with server same ((image or print) adj4 data)	USPAT; EPO; JPO	2003/02/04 09:34
-	11	("4991108" "5634092" "5720013" "5724442" "5806081" "5854940" "5884014" "5926559" "6043909" "6044173" "6226011").PN.	USPAT	2003/02/04 09:34
-	16	(calibrat\$3 near6 printer) same server	USPAT; EPO; JPO	2003/02/04 09:49
-	4	((calibrat\$3 near6 printer) with scanner) same server	USPAT; EPO; JPO	2003/02/04 09:48
-	1	6337922.URPN.	USPAT	2003/02/04 09:46
-	6	("5510896" "5642202" "5664076" "5813771" "5864774" "6016207").PN.	USPAT	2003/02/04 09:46
-	0	((calibrat\$3 with printer) near9 scanner) same server	USPAT; EPO; JPO	2003/02/04 09:49
-	7	((calibrat\$3 near9 printer) same scanner) same server	USPAT; EPO; JPO	2003/02/04 09:49
-	3	(calibrat\$3 near6 printer) same server same ((image or print) adj4 data)	USPAT; EPO; JPO	2003/02/04 09:50
-	4	(calibrat\$3 near6 printer) same server same ((image or print\$2) adj4 data)	USPAT; EPO; JPO	2003/02/04 09:51
-	107	(calibrat\$3 near6 printer) same ((image or print\$2) adj4 data)	USPAT; EPO; JPO	2003/02/04 09:51
-	153	(calibrat\$3 with printer) same ((image or print\$2) adj4 data)	USPAT; EPO; JPO	2003/02/04 09:51
-	202	(calibrat\$3 with printer) same ((image or print\$2) adj4 (data or document\$1 or page\$1 or sheet\$1))	USPAT; EPO; JPO	2003/02/04 09:55
-	15	((calibrat\$3 with printer) same ((image or print\$2) adj4 (data or document\$1 or page\$1 or sheet\$1))) and server and scanner	USPAT; EPO; JPO	2003/02/04 09:52
-	126	(calibrat\$3 with printer) same ((image or printed) adj4 (data or document\$1 or page\$1 or sheet\$1))	USPAT; EPO; JPO	2003/02/04 10:02
-	14	("2790844" "4275413" "4500919" "5170257" "5305119" "5416613" "5452112" "5457541" "5471324" "5483360" "5649072" "5734802" "5739927" "6040927").PN.	USPAT	2003/02/04 09:58
-	107	(calibrat\$3 with ((image or printed) adj4 (data or document\$1 or page\$1 or sheet\$1))) same printer	USPAT; EPO; JPO	2003/02/04 10:04
-	50	((calibrat\$3 with ((image or printed) adj4 (data or document\$1 or page\$1 or sheet\$1))) same printer) and 358/\$.ccls.	USPAT; EPO; JPO	2003/02/04 10:17
-	305	(print\$2 with ((image or print) adj4 (data or document or sheet or page))) same calibrat\$3	USPAT; EPO; JPO	2003/02/04 10:24
-	88	((print\$2 with ((image or print) adj4 (data or document or sheet or page))) same calibrat\$3) and 358/\$.ccls.	USPAT; EPO; JPO	2003/02/04 10:24

-	1278	(print\$2 with ((image or print) adj4 (data or document or sheet or page))) same server	USPAT; EPO; JPO	2003/02/04 10:28
-	7	((print\$2 with ((image or print) adj4 (data or document or sheet or page))) same server) and 358/504,406.ccls.	USPAT; EPO; JPO	2003/02/04 10:25
-	237	(print\$2 near6 (image\$1 or job\$1 or document\$1 or page\$1 or sheet\$1)) same server same scanner	USPAT; EPO; JPO	2003/02/04 10:29
-	4	((print\$2 near6 (image\$1 or job\$1 or document\$1 or page\$1 or sheet\$1)) same server same scanner) and 358/504,406.ccls.	USPAT; EPO; JPO	2003/02/04 10:30
-	4	((print\$2 near6 (image\$1 or job\$1 or document\$1 or page\$1 or sheet\$1)) same server same scanner) and (calibrat\$3 adj6 printer)	USPAT; EPO; JPO	2003/02/04 10:32
-	1710	(print\$2 near4 ((control adj4 image) or (color adj3 strip)))	USPAT; EPO; JPO	2003/02/04 10:49
-	11	("4991108" "5634092" "5720013" "5724442" "5806081" "5854940" "5884014" "5926559" "6043909" "6044173" "6226011").PN.	USPAT	2003/02/04 10:44
-	16	("4300791" "4569584" "4571699" "4965597" "5004896" "5184003" "5185661" "5416613" "5438649" "5450216" "5452112" "5589951" "5664076" "5760913" "6002489" "6275600").PN.	USPAT	2003/02/04 10:46
-	6	(print\$2 near4 color) same (scanner near (color near2 information))	USPAT; EPO; JPO	2003/02/04 10:51
-	1618	calibrat\$3 near6 print\$2	USPAT; EPO; JPO	2003/02/04 10:56
-	1	(calibrat\$3 near6 print\$2) and (scanner with ((color adj information) near3 printer))	USPAT; EPO; JPO	2003/02/04 10:57
-	0	(calibrat\$3 near6 print\$2) and (scanner with ((color adj information) near3 printer)) and netowrk	USPAT; EPO; JPO	2003/02/04 10:56
-	0	(calibrat\$3 near6 print\$2) and (scanner with ((color adj information) near3 printer)) and network	USPAT; EPO; JPO	2003/02/04 10:56
-	3	(calibrat\$3 near6 print\$2) and (scanner with ((color near3 information) near3 printer))	USPAT; EPO; JPO	2003/02/04 10:58
-	62	(calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))	USPAT; EPO; JPO	2003/02/04 10:58
-	19	((calibrat\$3 near6 print\$2) and (scanner with (color near3 printer))) and network	USPAT; EPO; JPO	2003/02/04 11:00
-	1095	358/1.15.ccls.	USPAT	2003/02/10 09:17